



HD Day/Night Wi-Fi Cloud Camera

Highlights

- Stay Connected and Secure The cloud camera helps you keep in touch with what matters most to you, giving peace-of-mind in both home and office.
- 720p HD Image HD resolution gives a sharper, clearer and crisper imaging experience.
- IR LEDs for Night Vision Automatic night vision functionality provides 24 hour surveillance support.
- H.264 Video Compression Reduces bandwidth consumption while maintaining HD quality video.
- Anywhere and Anytime With tpCamera APP and tplinkcloud.com web portal, it is easy to access your camera from anywhere, anytime.

Description

TP-LINK's HD Day/Night Wi-Fi Cloud Camera NC230 is your perfect home and office companion, to help you keep in touch with what matters most, providing you with that sense of well-being while you are at work or play.

Features





- **720p HD Resolution** HD resolution gives a sharper, clearer and crisper imaging experience.
- · IR LEDs for Night Vision Automatic night vision functionality provides 24 hour surveillance support.
- **H.264 Video Compression** Ensure smooth HD video streaming while consuming less bandwidth.
- Get 10x Closer 10x digital zoom for that 'close-up' experience.



Uses

- Secures Your Lifestyle The cloud camera helps you keep in touch with what matters most, giving peace-of-mind in both home and office.
- Live Video Check up on what's happening live from anywhere using your desktops, iPhone, iPad or Android devices.
- Multi-user Supports multi-user access for simultaneous viewing.



Ease of Use

- · WPS Support Connect to your wireless network easily via the WPS functionality on both the camera and compatible wireless routers.
- · Anywhere and Anytime With tpCamera APP and tplinkcloud.com web portal, it is easy to access your camera from anywhere, anytime.

Features



Security

· Instant Alert When Something's up – The NC230 can be set to send notifications automatically by email as soon as it detects motion or sound.



Wi-Fi Extension

Expanded 150Mbps Wi-Fi – Eliminates dead zones by 'extending' the range of your wireless network.


Stay Connected and Secure

The NC230 is a perfect companion for your home or office, helping you be connected with what matters most while you're away.



Anywhere, Anytime Access

The tpCamera app and tplinkcloud.com web portal lets you monitor events, record video, and snap pictures wherever you have an Internet connection. Make sure everything's OK and never miss a special moment, even when you're not on the scene.



Specifications

Camera

Image Sensor: 1/4" Progressive scan CMOS sensor

• **Resolution:** 1.0 Megapixel (1280 x 720)

• Lens: F: 2.8, f: 3.85 mm

Digital Zoom: 10x Digital

• Viewing Angle: $FOV = 64^{\circ}$

· Minimum Illumination: 0.5 Lux (0 Lux when IR on)

Audio

Audio Communication: 1-Way

· Audio Input: Built-in microphone

Interface

• Network Interface: RJ-45 for Ethernet 10/100 Base-T

Power Connector: DC power jackButtons: Reset/WPS push button

Video

· Video Compression: H.264

· Video Streaming: Controllable Frame rate

Image Settings: Rotation: Mirror, Flip

Configurable brightness, contrast, saturation

Overlay capabilities: time, date, text

Alarm and Event Management

· Input Trigger: Motion/Sound Detection

· Notification Method: E-mail

Specifications

Network

- Protocol: Bonjour, TCP/IP, DHCP, PPPoE, ARP, ICMP, FTP, SMTP, Samba, NFS, DNS, NTP, UPnP, HTTP, HTTPS, TCP, UDP
- · Security: Multiple password-protected user levels
- Wireless Data Rates: IEEE 802.11 b/g/n, Up to 150Mbps
- Frequency: 2.4-2.4835GHz
- Wireless Transmit Power: <20dBm (EIRP)
- Wireless Encryption: WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
- · System Requirements: Windows 10/8/7/Vista/XP, Mac OS 10.7 or higher

Chrome 5.0, Mozilla Firefox 4.0, Opera 12, Safari


4.0, IE 7.0 or higher


General

- Package Contents: NC230, Power Adapter, Extension Cable, RJ-45 Ethernet Cable, Quick Installation Guide
- External Power Supply: 9V DC, Max 5.4W
- · Certifications: RoHS, FCC, CE
- Operating Temperature: 0 °C~ 40 °C (32°F ~ 104°F)
- · Operating Humidity: 10%~90%RH, Non-condensing
- **Dimensions (H x W x D):** $5.4 \times 3.0 \times 2.7$ in. ($137 \times 76 \times 69$ mm)

Others

Similar Products







For more information, please visit

http://www.tplink.com/en/products/details/?categoryid=&model=NC230

or scan the QR code left

Specifications are subject to change without notice. TP-LINK is a registered trademark of TP-LINK Technologies CO., Ltd. Other brands and product names are trademarks or registered trademarks of their respective holders. No part of the specifications may be reproduced in any form or by any means or used to make any derivative such as translation, transformation, or adaptation without permission from TP-LINK Technologies CO., Ltd.

www.tp-link.com